



BACKLIGHTING

LUMINOUS STRETCH CEILINGS AND WALLS



Project Details - 8' x 13' Color Temp - RGB

- Unlimited size and shapes of luminous surfaces possible
- Variety of color temperatures, RGB and Tuneable light sources available.
- White diffuse textiles and custom painting
- Acoustic Luminous Surfaces availability (consult factory)
- Expansive luminous surfaces create natural ambient illumination
- Up to 16' width without seams



Project Details - 6' x 21' Color Temp - 3000K

NetLight Fixture Options			
NetLight	Lumens/Sq/Ft	Min Distance	Watts/Sq/Ft
Net-VHO	1701	3"	14.4
Net-HO	1134	4"	9.6
Net-STD	850	5"	7.2
Net-LO	597	3"	6.1
Net-VLO	398	4"	4.1
Net-TW	720 @ 6500K	3"	14.4
	670 @ 3000K		
	1390 Overall		
Net-RGBW	720	3"	15.8
Net-RGB	252	3"	8.64

DIMENSIONS	MOUNTING	SHADE COLOR	NETLIGHT FIXTURE	COLOR TEMP	DIMMING/CONTROLS
(in Feet/Inches)					
LCWB - <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
____X____=Height by Width *Minimum Width 1' *Maximum Width 16'	WM = Wall Mounted CR = Recessed CF = Surface Mounted CS = Suspended	W = White CI = Custom Image CC = Custom Color	NET VHO = Very High Output NET HO = High Output NET STD = Standard Output NET LO = Low Output NET VLO = Very Low Output TW = Tunable (3000K-6500K) RGB RGBW	3 = 30K 4 = 40K 5 = 50K 65 = 65K TW = Tunable (3000K-6500K) RGB RGBW	ND = Non Dimmable DM = 0 - 10v DMX = DMX Module






LUMINOUS STRETCH CEILINGS AND WALLS

Surface/Wall Mount

LINE DRAWING






LUMINOUS STRETCH CEILINGS AND WALLS

Recessed

LINE DRAWING





LUMINOUS STRETCH CEILINGS AND WALLS

Suspended

LINE DRAWING

